



Office (817) 265-4011  
 Toll Free (800) 336-1131  
 Fax (817) 277-9488

2001 W. Mayfield Road  
 Arlington, Texas 76015

## TECHNICAL DATA

Texas Stone Designs' manufactured stone veneers are designed to meet or exceed the requirements of all major building codes. Copies of independent lab reports are available upon request.

Local building codes may vary. Always check with your local building code authority prior to installation.

TEST	STANDARD	RESULT
WATER ABSORPTION	UBC 15-5	< 22%
COMPRESSIVE STRENGTH	ASTM C 39	> 1800 PSI
TENSILE STRENGTH	ASTM C 190	REPORTED (< 10% deviation from average)
FLEXURAL STRENGTH	ASTM C 348	REPORTED (< 10% deviation from average)
DENSITY	ASTM C 567	< 15 LBS. PER SQUARE FOOT
SHEAR BOND TEST	ASTM C 482	> 50 PSI
NON-COMBUSTIBLE	ASTM E 84	ZERO FLAME SPREAD/ZERO SMOKE DEVELOPED